

JAMAIL HARDWOODS

SUPPLIER · INSTALL · DESIGN

DATA SHEET

Wall Panel Collection

Hardwood Wall Treatments

Houston's B2B Hardwood Flooring Partner

2643 Colquitt St · Houston, TX 77098 · By Appointment

832-930-5936 · trade@jamailhardwoods.com · jamailhardwoods.com

RIVA WALL COVERINGS



COLOR Unfinished
FORMAT Narrow Slat
SPECIES White Oak

DESCRIPTION


Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!

DIMENSIONS

Total thickness (in) 7/8" (22mm)
Width (in) 4 3/4" (120mm)
Length (ft) 10' (118")
 80% Fixed / 20% RL
 (between 8' and 9')

CHARACTERISTICS

Construction Solid Hardwood
Finish Water based varnish
Intended uses Interior walls & ceilings



Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



E: info@rivafloors.com • P: +1(800) 525.2711


RIVA WALL COVERINGS



COLOR Unfinished
FORMAT Regular Slat
SPECIES White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in) 7/8" (22mm)
Width (in) 4 3/4" (120mm)
Length (ft) 10' (118")
 80% Fixed / 20% RL
 (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



CHARACTERISTICS

Construction Solid Hardwood
Finish Water based varnish
Intended uses Interior walls & ceilings


RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Unfinished	Wide Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

E: info@rivafloors.com • P: +1(800) 525.2711


RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Crystal	Narrow Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

E: info@rivafloors.com • P: +1(800) 525.2711


RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Crystal	Regular Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

E: info@rivafloors.com • P: +1(800) 525.2711


RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Crystal	Wide Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Certificates




RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Pearl	Narrow Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

Certificates




RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Pearl	Regular Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

E: info@rivafloors.com • P: +1(800) 525.2711


RIVA WALL COVERINGS



COLOR	FORMAT	SPECIES
Pearl	Wide Slat	White Oak

DESCRIPTION

Add depth and personality to interior spaces with this decorative covering that will turn any room into a distinctive area. Usually found in living rooms or interior walls, its benefits include insulation and noise reduction. A work of art on its own!



DIMENSIONS

Total thickness (in)	7/8" (22mm)
Width (in)	4 3/4" (120mm)
Length (ft)	10' (118") 80% Fixed / 20% RL (between 8' and 9')

Formaldehyde Emission (EN-120) E1

Fire Reaction (UNE 23727) D-S2,d0

Profiling System Tongue & Groove

Durability of material (UNE-EN 350-2) 2-3

Density of material 45.5 lbs/ft³

Certificates



CHARACTERISTICS

Construction	Solid Hardwood
Finish	Water based varnish
Intended uses	Interior walls & ceilings

E: info@rivafloors.com • P: +1(800) 525.2711